

# Cargo Lashing System



## C-QL Lashing System

One way cargo securing system

### Easy to apply

Prefabricated system with hooks and horizontal straps.

### Durable

Can handle a wide temperature resistance from 40°C - 80°C, lashing is weather resistant.

### Multiple options

C-QL Lashing is available in different types and dimensions.

### High strength

Secures cargo in place preventing your load from falling out.



# C-QL LASHING SYSTEM

## One way cargo securing system



**The C-QL modular quick lashing system utilises polyester woven yarn and can be fixed, adjustable or moveable depending on your requirements.**

Using 2, 3 or 4 horizontal straps to secure during transport, hooks on both ends of polyester woven yarn can be secured using the lashing points already within the container giving maximum flexibility. Weatherproof and can be used in temperatures from -40°C to 80°C Celsius, making it the ideal solution for lashing your goods.

### Technical Specifications

C-QL System	C-QL Type	Vertical Height	Number of Horizontal Straps	Length of Horizontal Straps (cm)	Buckle Type	Quantity Buckles per Box	System Breaking Strength (daN)	Maximum Securing Load (daN)
C-QL Standard	Fixed	240	2	300	CA-SIG 3516	125	4650	2325
					CA-SIG 3530	50		
C-QL Standard	Fixed	240	3	300	CA-SIG 3516	125	5200	2600
					CA-SIG 3530	50		
C-QL Standard	Fixed	240	4	300	CA-SIG 3516	125	5200	2600
					CA-SIG 3530	50		
C-QL High Cube	Fixed	270	2	300	CA-SIG 3516	125	4650	2325
					CA-SIG 3530	50		
C-QL High Cube	Fixed	270	3	300	CA-SIG 3516	125	5200	2600
					CA-SIG 3530	50		
C-QL High Cube	Fixed	270	4	300	CA-SIG 3516	125	5200	2600
					CA-SIG 3530	50		
C-QL ADJ Standard	Adjustable	240	3	300	CA-SIG 3516	125	7850	3925
					CA-SIG 3530	50		
C-QL ADJ High Cube	Adjustable	270	3	300	CA-SIG 3516	125	7850	3925
					CA-SIG 3530	50		
C-QL Moveable Standard	Moveable	240	2	300	CA-SIG 3516	125	4650	2325
					CA-SIG 3530	50		
C-QL Moveable High Cube	Moveable	240	3 or 4	300	CA-SIG 3516	125	5200	2600
					CA-SIG 3530	50		

# C-QL LASHING SYSTEM

## One way cargo securing system



### C-QL Lashing System Accessories

When using the C-QL lashing there are multiple accessories which enhance the use of this fast lashing solution, including:

- Buckles
- Tensioners
- Dunnage Bags
- Container Magnets
- Antislip Sheets
- Edgeboard

To easily connect the lashing to the interior of the container it is possible to use the container magnet accessory. Additional accessories include Edgeboard (Angleboard) and buckles. The Edgeboard offers improved protection to the cargo when it is secured on the corners. Buckles assist with the closure of lashing and support the product to be reused.



4 Strap C-QL System Adjustable



2 Strap C-QL System Fixed



3 Strap C-QL System Fixed



4 Strap C-QL System Fixed



2 Strap C-QL System Fixed with Edgeboard



3 Strap C-QL System Fixed with Edgeboard